



NEW ZEALAND
MADE



THE **SMART** WAY TO STORE YOUR GEAR



Strong, quick and easy to assemble

STRONGER SEMI-TIMBER FRAME CONSTRUCTION

This Smartstore shed has a unique easy-to-build panel assembly system using timber top & bottom plates. This provides extra rigidity and is superior in strength and versatility to other non-timber reinforced sheds.

All timber is sourced locally in NZ and treated to H4 standards for all areas where there may be ground contact.

With a timber base plate, fixing the shed down is a dream, and now with a roof securely attached to the top frame using galvanised weather seal screws, it's not going to blow away in the first puff of wind either.

And by using renewable NZ grown timber resources, we are helping both the economy and the environment.



SUPERIOR NZ MADE QUALITY

When you invest in a Smartstore shed, you are investing in a New Zealand made quality product that you can rely on. Manufactured on home turf means that the product is suited to New Zealand conditions. Further to that, only the best materials are used, from NZ grown timber through to premium hi-tensile steel and quality fastenings.

Keeping Kiwis in jobs plays an important role in our community and gives the added assurance of controlled quality during manufacture, coupled with a locally backed warranty - we'll be here if you need us!



KEY FEATURES



MORE WALL HEIGHT

For maximum storage and head clearance

HI-TENSILE .30MM STEEL

Deep ribbed for strength and good looks

EXTRA WIDE BRACED DOOR

For convenient easy access

ADVANCED WATER RUN OFF

No steel channels - allowing water to flow away freely and prevent leaks and corrosion

OPTIONAL PRE-CUT TREATED TIMBER FLOOR


Easy to relocate, quick to install & gives added rigidity



ADVANCED WATER RUN OFF

As with all buildings, it is important that water flows away from your garden shed. Trapped water can potentially allow water ingress and then ultimately, corrosion of the steel cladding. Unlike many other sheds, the Smartstore Shed does not have steel channels at the base of the wall. This allows water to drain away unimpeded.


Further to this, when mounting your Smartstore Shed on a raised concrete floor pad, the assembly can be done in such a way that the steel wall sheets overlap the concrete floor for ultimate weather proofing. Further info on this in the Assembly Instructions.



ANTI-RUST STEEL CLADDING

Smartstore sheds feature a hi-tensile, deep ribbed 0.30mm steel cladding. Roll-formed in our factory in Hamilton, New Zealand, it is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options (see below).

For your further peace of mind, Smartstore sheds are backed up by a full 20 Year Warranty on the steel cladding. (Conditions apply).



COLOUR RANGE

Roll-formed right here in New Zealand, the steel cladding is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options.



ZINC



MIST GREEN



LICHEN



KARAKA



EBONY

TOOLS REQUIRED



Drill



Riveter



Tape measure



3.5mm & 10mm
Drill bit



8mm Hex
Head Driver Bit



#2 Square
Driver Bit



Nail punch



Hammer



Step Ladder

SHED SIZE SELECTOR

SKILLION ROOF



1.520 W x 1.020 D (m)
CODE: SM1510 PAGE: 4



2.020 W x 0.685 D (m)
CODE: SM2007 PAGE: 4



2.020 W x 1.020 D (m)
CODE: SM2010 PAGE: 4

LEAN-TO ROOF



1.020 W x 2.020 D (m)
CODE: SM1020 PAGE: 5



1.520 W x 0.685 D (m)
CODE: SM1507 PAGE: 5



1.520 W x 1.520 D (m)
CODE: SM1515 PAGE: 5



1.520 W x 2.020 D (m)
CODE: SM1520 PAGE: 5



2.020 W x 1.520 D (m)
CODE: SM2015 PAGE: 6



2.520 W x 1.520 D (m)
CODE: SM2515 PAGE: 7



3.020 W x 1.520 D (m)
CODE: SM3015 PAGE: 7

GABLE ROOF



2.020 W x 2.020 D (m)
CODE: SM2020 PAGE: 8



2.520 W x 2.020 D (m)
CODE: SM2520 PAGE: 8



2.520 W x 2.520 D (m)
CODE: SM2525 PAGE: 8



3.020 W x 2.020 D (m)
CODE: SM3020 PAGE: 8



3.020 W x 2.520 D (m)
CODE: SM3025 PAGE: 9



3.020 W x 3.020 D (m)
CODE: SM3030 PAGE: 9

FIND THE SHED FOR YOU!

SKILLION

Roof slopes to the front - ideal for up against the house to ensure that any rainwater runs to the front

LEAN-TO

Roof slopes to the rear - perfect for against the fence or in the open, as water runs away from the door area.

GABLE

Slopes away from the centre - the strongest option for larger sheds that provides added headroom in the centre.




AGAINST THE HOUSE? AGAINST THE FENCE?

The Smartstore Skillion series has a roof that slopes to the front enabling it to sit hard against your fence, or the wall of your house.

The perfect space saving solution for storing a large range of household items in those tight areas that can be hard to access.

SKILLION ROOF



Smartstore SM1510


BASE SIZE: 1.520 W x 1.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony



SM1510 & SM2010



Smartstore SM2010

BASE SIZE: 2.020 W x 1.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka **Ebony**





Smartstore SM2007

BASE SIZE: 2.020 W x 0.685 D (M)
DOOR OPENING: 1.440 (M)

COLOUR OPTIONS:

Zinc Mist Green **Lichen** Karaka Ebony



SM2007

- Wide double door opening for easy access
- Depth of less than 1.5 metres with the doors fully open - fits between your house and the fence



LEAN-TO ROOF




Smartstore SM1020

BASE SIZE: 1.020 W x 2.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen **Karaka** Ebony




Smartstore SM1520

BASE SIZE: 1.520 W x 2.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green **Lichen** Karaka Ebony




Smartstore SM1507

BASE SIZE: 1.520 W x 0.685 D (M)
DOOR OPENING: 0.535 (M)

COLOUR OPTIONS:

Zinc **Mist Green** Lichen Karaka Ebony



Smartstore SM1515

BASE SIZE: 1.520 W x 1.520 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony

LEAN-TO ROOF




Smartstore SM2015

BASE SIZE: 2.020 W x 1.520 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka **Ebony**



Easy Timber Floor Kits

Optional timber floor kits are a good way to create a clean, dry platform up off the ground for storing your valuable gear on.

Smartstore floor kits work differently to most other garden shed floors. The floor is fixed inside the shed on the timber bottom plate, creating a strong base for the shed.

The Smartstore floor kit contains all the materials that you will need including H4 ground treated joists and floorboards (cut to size) as well as all the hardware required.



LEAN-TO ROOF




Smartstore SM2515

BASE SIZE: 2.520 W x 1.520 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony



Smartstore SM3015

BASE SIZE: 3.020 W x 1.520 D (M)
DOOR OPENING: 1.420 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony



Treated Timber Top & Bottom Plate

Smartstore sheds incorporate a treated 45 x 45mm timber plate top and bottom that locks together at the corners. As well as providing superior strength it creates an excellent platform to enable you to shelve out your shed, hang up your valuable gear and maximise your storage capacity.

Optional Clear Roof Panel


Clear roof panels provide UV free natural daylight in your shed. These are available as an option with any Smartstore shed, and fits in place of one steel roof sheet.



Note: Clear roof panels may condensate more than steel panels.



GABLE ROOF




Smartstore SM2020


BASE SIZE: 2.020 W x 2.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony



SM2020, SM2520 & SM3020




Smartstore SM2520

BASE SIZE: 2.520 W x 2.020 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony




Smartstore SM2525


BASE SIZE: 2.520 W x 2.520 D (M)
DOOR OPENING: 0.920 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony



SM2525



Smartstore SM3020

BASE SIZE: 3.020 W x 2.020 D (M)
DOOR OPENING: 1.420 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony

Got Bigger Gear?

The Smartstore Gable sheds are available in sizes as big as 3.020 x 3.020m, and with the gable roof there is even more head room. Stash your bike, your BBQ or your fishing gear. There is plenty of room for this, and more!

GABLE ROOF



Smartstore SM3025

BASE SIZE: 3.020 W x 2.520 D (M)
DOOR OPENING: 1.420 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka Ebony

Smartstore SM3030

BASE SIZE: 3.020 W x 3.020 D (M)
DOOR OPENING: 1.420 (M)

COLOUR OPTIONS:

Zinc Mist Green Lichen Karaka **Ebony**

Door & A Half System?

This double door system creates a single large door for easy everyday access, and an extra smaller door that opens up for the larger items such as ride on mowers, bikes & kayaks.



ACCESSORIES

Floor Options

TIMBER FLOORS

For the base of your shed, you can purchase the custom-made floor kit to create a strong, solid working or storage platform. These consist of 150mm x 25mm H3 treated boards, along with H4 joist(s) and galvanised nails.

Anchoring options

PEG DOWN KIT

For peace of mind in high wind zones, we recommend your shed is anchored securely using the H5 ground treated pegs. The six 500mm x 45mm x 45mm pegs are to be driven into the ground and fastened to the base plate using the stainless steel screws provided.

Tools required: Sledge hammer and electric drill/screwdriver.

BOLT DOWN KIT

If your shed is to be attached to a concrete base, the bolt down kit is available for extra stability. The kit has a unique bracket design to clamp down tightly onto the base plate and includes six floor clamps, six 10mm Dynabolts and six fixing screws.

Tools required: Masonry drill, 10mm drill bit, spanner and screwdriver.

Clear Roof Panel

Provides UV free, natural daylight and fits in the place of one steel roof sheet. Please note that clear panels may condensate more than steel.

Storage Options

WORK BENCH

For a solid working area and extra storage capacity you need a heavy duty work bench. This well designed bench has a unique lock together construction with a 250kg load rating per shelf.

Size: 1140mm wide x 500mm deep x 900mm high

5-TIER SHELF UNIT

Maximise your storage space with this bolt free interlocking kitset shelf unit. Each shelf has a 350kg load rating with MDF shelves. An ideal complement to your Smartstore Shed.

Size: 900mm wide x 400mm deep x 1700mm high

Light and Security Options

SOLAR SHED LIGHT (MODEL DSL-L011N)

No mains power required!


- Super bright LED technology – 10 x LED's
- Built in Magnets for easy attachment to your shed
- Superior amorphous solar charger - Efficient output in low light
- DIY Installation – No electrical wiring required
- 1 Year warranty


BATTERY POWERED SHED ALARM (MODEL DSA-MA20)

Intruders beware!

- Ultra loud 130db alarm
- 60 degree infrared beam detects movement up to 6 metres away
- Easy to program 4 digit code
- Easily attached to the timber framing
- Uses 4 x AA Batteries (not included)

Optional extras may incur freight charges when ordered separately.





CUSTOMER HELPLINE - 0800 438 274

Manufactured by Riverlea Group Ltd
P. O. Box 11062, 2A Maui Street, Hamilton 3200
Ph +64 7 847 0204 Fax +64 7 847 0205
customer care@riverleagroup.co.nz

**NEW ZEALAND
MADE**

