



**LIFESTYLE  
RANGE  
CABINS**



**Build your own retreat!**



[www.duratuf.co.nz/lifestyle-cabins](http://www.duratuf.co.nz/lifestyle-cabins)



# OUR PROVEN PROCESS



DETERMINE



CONFIGURE



ORDER



DELIVER



INSTALL

Use our Shed Selector to determine what cabin model and size works best for you and your space.

Configure your shed with our 3D Shed Builder Tool. Follow the 5 easy steps to design your dream cabin.

Order your shed by selecting 'Order My Shed' and we'll put you in touch with your preferred retailer.

We'll manufacture your cabin and deliver it to your chosen retailer. Your ranchslider will be delivered direct to site.

Assemble your new cabin yourself or get one of our recommended installers to do the assembly for you.

## Our Three Warranty Pillars Are:



- 1 Free From Manufacturing Defects
- 2 Structural Framing
- 3 Steel Cladding



For full details on our TripleTuf Warranty, refer to [www.duratuf.co.nz/tripletuf](http://www.duratuf.co.nz/tripletuf)

Shed Builder

Design Your Dream Cabin

An off-the-shelf product might fit the bill, but if you've got something a bit more unique in mind you can bring it to life with our market leading 3D shed design software. In 4 simple steps, you can take any of our standard range of sheds and add whatever bells and whistles you need to make it your own. Then save it and use your unique shed number to order your dream shed from your favourite DIY store or specialist shed retailer.

Customise any model with our 3D Shed Builder at [duratuf.co.nz/shed-builder](http://duratuf.co.nz/shed-builder)



## 1. CHOOSE YOUR CABIN SIZE



WAIRARAPA CABIN

Width	Depth	Door
3.600m	6.000m	2.400m



KAIPARA CABIN

Width	Depth	Door
4.000m	2.500m	2.400m



WAIHEKE CABIN

Width	Depth	Door
4.200m	3.600m	2.400m



GLENBURN CABIN

Width	Depth	Door
4.200m	4.800m	2.400m



WHITFORD CABIN

Width	Depth	Door
4.800m	3.600m	2.400m



HAVELOCK CABIN

Width	Depth	Door
4.800m	4.200m	2.400m




ARDMORE CABIN

Width	Depth	Door
4.800m	4.800m	2.400m



PAIHIA CABIN

Width	Depth	Door
4.800m	6.000m	2.400m




OTAGO CABIN

Width	Depth	Door
6.000m	3.600m	2.400m



KAPITI CABIN

Width	Depth	Door
6.000m	4.200m	2.400m




OXFORD CABIN

Width	Depth	Door
6.000m	4.800m	2.400m

## 2. CONFIGURE YOUR CABIN

Enhance your Lifestyle Cabin with our configurable options. Choose from inward-opening pedestrian access doors and single or double glazed aluminum joinery ranch slider and windows. Strategically place these features for added convenience and enhanced aesthetics, creating a versatile space tailored to your needs.



## 3. CHOOSE YOUR COLOUR



Zinc-Alu




Lichen  
Shed Only




Ironsand



Karaka



Ebony



Titania



Permanent  
Green



New Denium  
Blue



Thunder  
Grey



Gull Grey



Sandstone  
Grey



Grey Friars




Mist Green



Windsor Grey



Desert Sand



Nightfall



# LIFESTYLE RANGE CABINS

No Permit Required Under 30sqm

Engineer Approved

0.4mm Armorsteel® Cladding

White Building Paper

Double Glazed Window &  
Ranch Slider Options



## PA doors and windows

Elevate your Lifestyle Cabin by incorporating a pedestrian access door (810mm W x 1920mm H) and an aluminium joinery window (970mm W x 535mm H), available in both fixed and opening configurations, with the option to select between single and double-glazed.

## Flooring

A Plywood floor kit is available for the Kaipara model only.

For all other models over 10m2, a concrete slab is required to meet NZ building code, although you also have the option to fabricate a custom solution to suit your needs.



## Robust Timber Framing

Like all Duratuf sheds, the Lifestyle Range features a robust timber frame that provides a solid structural backbone and ultimate configurability.

Our sheds are built to withstand New Zealand's wildest weather. The 90x45 framing and rigid full timber structure, complete with double studs in the corners, ensure excellent strength and rigidity.

These features make our sheds perfect for lining, which can be customised to meet your specific needs.

## Ranch Slider Door

All Lifestyle cabins come with a stylish yet functional ranchslider. All windows and the ranch slider feature timber liners that extend 12mm inside the framing making lining easy.

Choose between single or double glazed ranch slider doors, both offering easy access for larger items and plenty of natural light. Single glazed doors are ideal for a hobby cabin, while double glazed doors are essential for a sleepout due to their superior insulation and energy efficiency.

## Lining Material List

Each cabin includes detailed instructions on how to line your shed, along with a list of materials required if you choose to do so.

White building paper is supplied standard with all Lifestyle Cabins for lining the walls and roof.



## OPTIONS



**Coastal  
Upgrade**

### Building by the beach? Needing an extra room at the Bach?

Our Coastal grade cladding, with its extra thick layer of zinc-aluminium protection, ensures superior resistance to New Zealand's harsh coastal conditions.

For full details on our Coastal Upgrade Option, visit [www.duratuf.co.nz/duratuf-warranty](http://www.duratuf.co.nz/duratuf-warranty).




**Very High Wind  
Upgrade Kit**



**Snow Load  
Upgrade Kit**




## WAIKARARAPA CABIN





## KAIPARA CABIN




## WAIHEKE CABIN




## GLENBURN CABIN




## WHITFORD CABIN



## HAVELOCK CABIN



## ARDMORE CABIN





## PAIHIA CABIN




## LIFESTYLE RANGE CABINS

## OTAGO CABIN



## KAPITI CABIN



## OXFORD CABIN








## Accessories



Shed Alarm



Clear Roof Panel



Heavy Duty Workbench



5 Tier Shelf Unit



## Assembly Options

Lifestyle sheds are a great project for a competent DIYer, otherwise we recommend hiring a builder or an assembly service. Visit [Duratuf.co.nz](https://duratuf.co.nz) to view our recommended assemblers.



## Flooring Options

### Building A Raised Concrete Base

- STEP 1** - Establish size of shed and excavate sufficient area. Remember to allow for roof overhang of 150mm on the back wall and 50mm on the side walls.
- STEP 2** - Ensure that the base substrate is compacted firmly. The concrete slab should be 100mm thick in the middle and 200mm thick around the edges (Fig 2).
- STEP 3** - Lay boxing to the required size. Check the base is square and the diagonal measurements are equal. The raised slab size should be 20mm smaller than the overall base size of the shed and at least 50mm above the ground line. (Fig. 1)
- STEP 4** - Lay plastic sheeting under slab to prevent moisture coming through from underneath.
- STEP 5** - Pour concrete and screed flush.

Fig. 1





Fig. 2



## Concrete Slab Specification Table

MODEL	WIDTH (mm)	DEPTH (mm)	MODEL	WIDTH (mm)	DEPTH (mm)	MODEL	WIDTH (mm)	DEPTH (mm)
Wairarapa	3580	5980	Whitford	4780	3580	Otago	5980	3580
Kaipara	3980	2480	Havelock	4780	4180	Kapiti	5980	4180
Waiheke	4180	3580	Ardmore	4780	4780	Oxford	5980	4780
Glenburn	4180	4780	Paihia	4780	5980			

# Duratuf



To enable us to make the delivery process as seamless as possible, below is an outline of how your cabin will arrive:

1

Please let us know the address where the cabin will be constructed as the ranch slider will be delivered separately to the cabin pack. The ranch slider will be delivered directly to this address, however the remaining cabin pack will be delivered to your selected depot or commercial address.

\* Should the delivery address be outside the aluminium joiner's delivery area, we will make contact to further discuss freight options.

2

Once we have received your order and site address, we'll confirm lead time with the relevant suppliers and will make contact with you to confirm an estimated time of delivery.

3

When the ranch slider is ready for delivery, our aluminium joinery supplier will make contact with you to arrange a delivery date.

4

We will aim to coordinate delivery of the cabin pack and the ranch slider within a short timeframe however, there could be a variance in the time frame between the two components arriving. We suggest that assembly doesn't start until all components are on site.

Please ensure to have a space available for the aluminium joinery supplier to leave the ranch slider. Ensure this space won't obstruct access to the assembly area of the cabin.

[duratuf.co.nz/lifestyle-cabins](https://duratuf.co.nz/lifestyle-cabins)



# Duratuf®



## Build your own retreat!



[www.duratuf.co.nz/lifestyle-cabins](http://www.duratuf.co.nz/lifestyle-cabins)

Customer Helpline (weekdays)

**Call 0800 GET A SHED | 0800 438 274**

Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204

