

# Duratuf NZ'S #1 Timber Framed Garden Shed

# **OUR PROVEN PROCESS**



**DETERMINE** 



CONFIGURE



ORDER



**DELIVER** 



INSTALL

**DURATUF - BUILT DIFFERENT!**At Duratuf, we don't just build sheds; we've been crafting

At Duratuf, we don't just build sheds; we've been crafting durable, functional spaces for over 30 years, designed to withstand New Zealand's unique climate and meet the needs of homeowners across the country. With decades of expertise, every Duratuf shed is built with quality and purpose, combining premium materials with expert engineering. Our innovative timber framing system offers unmatched strength and rigidity, avoiding the issues caused by traditional steel frames, such as water damage and corrosion, and ensuring your shed stays solid and weatherproof for years to come.

- **Strength & Rigidity:** Timber framing gives the shed extra strength and greater structural integrity just like a garage or house. This significantly improves the longevity of the shed compared to other cheaper sheds.
- **Superior Waterproofing:** Our unique timber construction means the steel cladding is fastened to the top & bottom plates. This method prevents water getting trapped in channels which often leads to rust and corrosion.
- More Versatile: With the timber frame, options are endless when it comes to fitting out the shed. Timber allows you to screw or nail in shelves, workbenches, tool boards, hooks etc.

## **BE INSPIRED BY OUR CUSTOMERS**













Use our Shed Selector to determine what shed model and size works best for you and your space. Configure your shed with our 3D Shed Builder Tool. Follow the 5 easy steps to design your dream shed.

Order your shed by selecting 'Order My Shed' and we'll put you in touch with your preferred retailer.

We'll manufacture your shed and deliver it to your chosen retailer.

Assemble your new shed yourself or get one of our recommended installers to do the assembly for you.



**Shed Builder** 

Our Three Warranty Pillars Are:

1 Free From Manufacturing Defects

2 Structural Framing

3 Steel Cladding

For full details on our Tripletuf Warranty, refer to www.duratuf.co.nz/tripletuf



Design Your Dream Shed

An off-the-shelf product might fit the bill, but if you've got something a bit more unique in mind you can bring it to life with our market leading 3D shed design software. In a few simple steps, you can take any of our standard range of sheds and add whatever bells and whistles you need to make it your own. Then save it and use your unique shed number to order your dream shed from your favourite DIY store or specialist shed retailer.

Customise any model with our 3D Shed
Builder at duratuf.co.nz/shed-builder



## **LIFESTYLE RANGE** FEATURES

#### **Structural Timber Framing**

Like all Duratuf sheds the Lifestyle Range features a robust timber frame. This not only gives them a solid structural backbone, it gives you plenty of options when it comes to hanging up tools, or adding shelves and workbenches.

All framing timber is machine gauged, appropriately treated, and sourced from renewable New Zealand pine forests. Roof beams are hi-span structural beams for the ultimate in strength and durability.





#### **Superior Weatherproofing**

Water is the last thing you want inside your shed. While some sheds have steel channels that allow it to pool and corrode, Duratuf Lifestyle sheds have effective flashings and a large spouting connected to a downpipe for quick discharge or diversion to a water tank.

Please note that the Ponsonby and Fendalton models are supplied without a downpipe.



#### **Tough Steel Cladding**

Not only does it look great, our hi-tensile 0.4mm Armorsteel steel cladding with multi-layered paint coating is tough enough to resist even New Zealand's most extreme weather conditions. We're so confident that we back it up with our 30 year TripleTuf warranty (see page 3 for more details).

Available in many popular colour options (see page 22), combine it with your preferred door colour to create a colour scheme tailored to your property.





#### No Building Consent Required Under 30sqm


The Duratuf Lifestyle sheds over 10m² have been reviewed and certified by a chartered professional engineer. This means you may not need a building consent to build one provided you meet other local council regulations and other exemption criteria. Plans, along with a PS1, are available to help with your consent application should you require one.

Please note that Lifestyle Range models over 30m<sup>2</sup> may require building consent due to their size, depending on your local council's regulations.

#### **Secure Roller Door**

High and wide so you can get everything inside. This quality New Zealand-made roller door combines versatility with added security, providing easy access for larger items while keeping your valuable gear safe.

Available in many popular colour options (see page 22).



#### **Fully Configurable**

Need something a bit different? We can configure most standard Lifestyle Range models to suit your needs. Whether you'd like a personnel access door for easier access or a window to let in the breeze, we've got you covered. There's also a wide range of accessories you can add to make it your own (see pages 22-31).

#### **Timeless Design**

Horizontal corrugate cladding offers clean lines and modern appeal, while the wide-gauge box flashings add a refined, contemporary touch. Together, these elements create a design that feels both timeless and modern—enhancing the structure's overall look and making it a standout feature in any setting. It's a perfect blend of traditional style and innovative design.


#### **Generous Headroom**

The impressive stud height ensures even the tallest person won't bump their head, while also giving you the added benefit of more space in a compact area. The extra vertical clearance makes it easy to store tall items and gear, helping you organise your space in a practical and efficient way.

#### **Safety Edge Corners**

#### We have the corner joins covered as well!

Instead of the conventional overlapped corners, Lifestyle shed corner joins are completely covered by a modern looking flashing making them extremely weather-tight and safe.









The ideal size to store your sports gear, lawnmower and tools while adding a touch of class to your unused space.





2.45qm

1.800m

Door can be placed either side




Fendalton DLL3110 3.15m x 1m

3.2 sqm




Windsor 2.4m x 1.5m






Matakana 2.4m x 2m DLL2420





Kinloch 2.4m x 4.2m DLL2442





Ideal for hobbyists looking to store bikes, surfboards, and outdoor gear, this shed combines practicality with a bit of flair, transforming unused space into a dedicated area for your passions.









DLL3120

Milford 3.15m x 2m



Marlborough DLL3131 3.15m x 3.15m



Wairarapa DLL3660 3.6m x 6m Wairarapa Extra Height DLLEH3660


















With a spacious interior, these sheds have ample room for large items such as ride-on mowers and concrete mixers etc.



Waiheke 4.2m x 3.6m

DLL4236

Waiheke Extra Height

DLLEH4236



Glenburn 4.2m x 4.8m DLL4248
Glenburn Extra Height DLLEH4248




Whitford 4.8m x 3.6m

DLL4836

Whitford Extra Height

DLLEH4836






Havelock 4.8m x 4.2m DLL4842

Havelock Extra Height DLLEH4842





10










Ardmore 4.8m x 4.8m

DLL4848

Ardmore Extra Height

DLLEH4848






Paihia 4.8m x 6m

Paihia Extra Height

DLL4860





Waimate 5m x 2m DLL5020






Otago 6m x 3.6m

Otago Extra Height

DLL6036







Our wider sheds offer maximum space, perfect for those looking to expand storage or workspace without needing consent.

\*Sheds under 30m² may be exempt from obtaining Building Consent, however compliance with council requirements is still required.









Kapiti 6m x 4.2m	DLL6042
Kapiti Extra Height	DLLEH6042


Oxford 6m x 4.8m DLL6048
Oxford Extra Height DLLEH6048


Benmore 6m x 6m DLL6060
Benmore Extra Height DLLEH6060

Cromwell 7.2m x 6m	DLL7260
Cromwell Extra Height	DLLEH7260










# **WORKSHOPS**

#### LIFESTYLE RANGE








ONE STRUCTURE.
MULTIPLE SPACES.
UNLIMITED IDEAS.











Width	Depth	Doors
6.000m	3.600m	1x 2.400m - Roller Door 1x 0.810m x 1.920m PA Door

Benmore Workshop

Extra Height Option

DWLEH6060



Width	Depth	Doors
6.000m	6.000m	1x 2.400m - Roller Door 1x 0.810m x 1.920m PA Door

Oxford Workshop

Extra Height Option



DWL6048

DWLEH6048

Width	Depth	Doors
6.000m	4.800m	1x 2.400m - Roller Door 1x 0.810m x 1.920m PA Door

Cromwell Workshop DWL7260

Extra Height Option DWLEH7260



Width	Depth	Doors
7.200m	6.000m	1x 2.400m - Roller Door 1x 0.810m x 1.920m PA Door

\* Lifestyle Workshops come with a 2.4m roller door and PA door as standard on the front wall. From there, you can configure it to suit your need

Configure your doors and windows to build your space...

See page 27 for the full range of configurations available.







Roller Door & Ranch Slider

Roller Door, PA Door and a Window



# **CABINS**

#### LIFESTYLE RANGE






Like all Duratuf sheds, the Lifestyle Cabin Range features a robust timber frame that provides a solid structural backbone and ultimate configurability.

Our cabins are built to withstand New Zealand's weather conditions. The 90x45 framing and rigid full timber structure, is complete with additional timber for ease of lining.

These features make our cabins perfect for lining, which can be customised to meet your specific needs.

Each cabin includes instructions on how to line the walls and ceiling, along with a list of materials required if you choose to do so.

White building paper is included as standard with all Lifestyle Cabins.





All Lifestyle cabins come with a stylish ranchslider option available.

Ranchsliders feature timber liners that extend inside the framing making lining easy.

Choose between single or double glazed ranchslider doors, both offering easy access for larger items and plenty of natural light. Single glazed ranchsliders are great for a hobby cabin, while double glazed ranchsliders are essential for a sleepout due to their superior insulation and energy efficiency.

#### **CABIN OPTIONS AVAILABLE**





Width	Depth	Door	
3.600m	6.000m	2.400m	
DCI 7660			



KAIPARA CABIN

Width	Depth	Door
4.000m	2.500m	2.400m
DCI 4025		



WAIHEKE CABIN

Width	Depth	Door
4.200m	3.600m	2.400m
	DCI 4236	



GLENBURN CABIN

Width	Depth	Door
4.200m	4.800m	2.400m
	DCI /2/0	



WHITFORD CABIN

Width	Depth	Door
4.800m	3.600m	2.400m





HAVELOCK CABIN

Width	Depth	Door
4.800m	4.200m	2.400m

DCL4842



ARDMORE CABIN PAI

Width	Depth	Door
4.800m	4.800m	2.400m

DCL4848



DCL4860



OTAGO CABIN

Width	Depth	Door
6.000m	3.600m	2.400m

DCL6036



KAPITI CABIN

Width	Depth	Door
6.000m	4.200m	2.400m

DCL6042



OXFORD CABIN

Width	Depth	Door
6.000m	4.800m	2.400m

DCL6048

<sup>\*</sup> Lifestyle Cabins use the same concrete slab sizes as the equivalent sheds in the Lifestyle Shed Range shown on page 23.






# **5 EASY STEPS TO CHOOSING YOUR SHED!**

## **CHOOSE YOUR SHED SIZE**


With 23 Lifestyle shed sizes to choose from, you'll easily find the perfect match for your space and needs.



## **CONFIGURE YOUR SHED**

Personalise your shed by selecting your wall configurations. Add Personnel access doors, aluminium joinery windows, choose roller door sizes and more!

To see all our configuration options, refer to pages 23-27.



Models—Ponsonby, Fendalton, Windsor, Cardrona and Matakana—come as standard with no configuration options available.

## **CHOOSE YOUR FINISH**

Roll-formed right here in New Zealand, the cladding is available in a classic Zinc/Aluminium finish, or your choice of 18 popular colour options (refer to page 28).





## **SELECT A BASE & OPTIONAL UPGRADES**

Decide between a concrete pad or a timber floor, and view our range of optional upgrades on pages 28-30.

## **ADD YOUR ACCESSORIES**

Explore our selection of optional accessories on page 31 to make your shed truly your own.



## • CHOOSE YOUR SHED SIZE



Width	Depth	Door
2.400m	1.000m	1.800m



**FENDALTON** 

Width	Depth	Door
3.150m	1.000m	2.400m



WAIRARAPA

Width	Depth	Door
3.600m	6.000m	2.400m



4.800m | 2.400m / 3.000m



Width	Depth	Door
2.400m	1.500m	1.800m



Width	Depth	Door
3.150m	1.500m	2.400m



Width	Depth	Door
4.000m	2.500m	2.400m



WHITFORD

Width	Depth	De
4.800m	3.600m	2.400m



Depth Door

2400m 2000m

Width	Depth	Door
3.150m	2.000m	2.400m



**TAMAHERE** 

Width	Depth	Door
4.000m	2.000m	2.400m



Width	Depth	Door
2.400m	4.200m	1.800m



Width	Depth	Door
3.150m	3.150m	2.400



**WAIHEKE** 

Width	Depth	Door
4.200m	3.600m	2.400m / 3.000n



HAVELOCK			
Width Depth Door			
4 800m	4 200m	2400m/3000m	



Width	Depth	Door
4.800m	4.800m	2.400m / 3.000m



PAIHIA

Width	Depth	Door
4.800m	6.000m	2.400m / 3.000r



WAIMATE

Width	Depth	Door
5.000m	2.000m	2.400m



OTAGO

Width	Depth	Door
6.000m	3.600m	2.400m / 3.000m



**KAPITI** 

Width	Depth	Door
6.000m	4.200m	2.400m / 3.000m



Width	Depth	Door
6.000m	4.800m	2.400m/3.000m



Width	Depth	Door
6.000m	6.000m	2.400m / 3.000m



**CROMWELL** 

Width	Depth	Door
7.200m	6.000m	2.400m/3.000m

## 2. CONFIGURE YOUR SHED

#### **Personnel Access Doors**

Add convenience to your Lifestyle shed with a Personnel Access (PA) Door upgrade. Measuring 810mm wide by 1920mm high, it provides easy everyday entry without opening the main roller door. All PA doors are inwards opening.

The PA Door comes in the same colour to match your roller door and includes a quality lock for added security and peace of mind.

Please note: When ordering a PA Door and timber floor kit for your shed, we recommend adding a treadplate to your order to finish the opening neatly for additional weather proofing.



#### **Roller Doors**

Need more space to move in and out? Some shed models allow you to upgrade the standard 2.4m roller door to a wider 3m version, ideal for larger gear or vehicles.

Or select a Workshop model and add a second roller door for easier access and better airflow, making your shed more versatile.

Please note: only workshop models are compatible with the double roller door configuration (see pages 16-17).

#### Ranchsliders

Lifestyle Cabins and Workshops with Ranchslider options available, feature timber liners that extend inside the framing to assist with lining.

Choose between single or double glazed ranchslider doors, both offering easy access for larger items and plenty of natural light. Single glazed ranchsliders are great for a hobby cabin, while double glazed ranchsliders are essential for a sleepout/office due to their superior insulation and energy efficiency.





#### Single or Double Glazed Windows

Configure your Lifestyle shed, cabin or workshop with fixed or opening aluminium windows (930mm W x 485mm H), which can be added in multiple locations on most models.

All Cabin Series window options feature timber liners that extend inside the wall framing, making interior lining easy.

Choose single or double glazing—single glazed is perfect for hobby spaces, while double glazed offers extra insulation for sleepouts or offices.

#### DOOR AND WINDOW OPTIONS FOR DURATUF LIFESTYLE SHEDS

#### To specify door and window positions, follow these 3 steps:

- Find your shed model in the door and window tables.
- 2 For each wall, choose a diagram showing the door and window positions you want. Surcharges apply to some options. Key:

2.4 Roller D

Roller Door with width (m); or a Ranchslider for Cabins

PA Door (Personnel Access)



Window (Opening or Fixed)



Ranchslider (for Workshop series) with width (m)


Record the reference number/letter from below each diagram: The Left Wall is on the Left when viewed facing the Front Wall!

Front Wall Option:

Back Wall Option:


Left Wall Option:

**Right Wall Option:** 



EXAMPLE

#### For a Kaipara shed with these Wall Options:





Get the ultimate hands-on experience with our 3D shed builder, designed to walk you through every step.



Customise any model with our 3D Shed Builder at duratuf.co.nz/shed-builder

PONSONBY			2.4W x 1.0D					
WINDSOR			2.4W x 1.5D					
MATAKANA FRONT WALL OPTIONS		BA	2.4W x 2.0D CK WALL OPTIONS		I EET AND	RIGHT WALL OPT	IONS	
1.8	В	DA.	OR WALL OF HORS	В	LEFTAND	AIGHT WALL OF I	ЮКЗ	
FENDALTON			3.15W x 1.0D					
FRONT WALL OPTIONS		BA	CK WALL OPTIONS		LEFT AND	RIGHT WALL OPT	IONS	
1	В			В				
CARDRONA			3.15W x 1.5D					
MILFORD FRONT WALL OPTIONS		BA	3.15W x 2.0D CK WALL OPTIONS		LEFT AND	RIGHT WALL OPT	IONS	
2.4	В	c	R	В				
TAMAHERE	В	C	4.0W x 2.0D	В				
FRONT WALL OPTIONS		BA	CK WALL OPTIONS		LEFT AND	RIGHT WALL OPT	IONS	
2.4	В	D	E S T	В				
WAIMATE			5.0W x 2.0D					
FRONT WALL OPTIONS		BA	CK WALL OPTIONS		LEFT AND	RIGHT WALL OPT	IONS	
2.4								
1 2	В	с П П	D E H	В				
3		К	L R S					
	Т							
MARLBOROUGH			3.15W x 3.15D					
MARLBOROUGH FRONT WALL OPTIONS		BA	CK WALL OPTIONS		LEFT AND	RIGHT WALL OPT	TIONS	
	В	BA		В	LEFT AND	RIGHT WALL OPT	TIONS	
1  KAIPARA + KAIPARA C.		С	CK WALL OPTIONS  R  4.0W x 2.5D	В	c	R		
1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS	ABIN	C BA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS	1	c		TIONS	
1  KAIPARA + KAIPARA CA FRONT WALL OPTIONS  2.4  1	ABIN	С	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E  S  T		c	R	TIONS	V
1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS	ABIN	C BA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS	1	C LEFT AND	R	U	
TRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA CA FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE	ABIN	C BA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D	1	C LEFT AND	R PRIGHT WALL OPTI	U	
FRONT WALL OPTIONS  24  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  24  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS	ABIN	C BA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	1	C LEFT AND	R PRIGHT WALL OPTI	U	v
FRONT WALL OPTIONS  24  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  24  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS	CABIN  B  B  C  B  C  C  B  C  C  C  C  C  C	BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	В	C LEFT AND	R  RIGHT WALL OPTI	TIONS	v
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS  2.4  1  2.4  1  2.4	ABIN  B CABIN  B	BA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	B B	C LEFT AND	R  PRIGHT WALL OPTI  G  PRIGHT WALL OPTI  F  L	TIONS U TIONS G P	V H
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS  2.4  1  2.4  1  2.4  3.0	CABIN  B  B  C  B  C  C  B  C  C  C  C  C  C	BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	B B J	C LEFT AND C C K	R  RIGHT WALL OPTI  G  RIGHT WALL OPTI  F  L	TIONS U TIONS G P	V H Q
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS  2.4  1  2.4  1  2.4  3.0	CABIN  B  B  C  B  C  C  B  C  C  C  C  C  C	BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	B B C C R R	C LEFT AND	R  PRIGHT WALL OPTI  G  PRIGHT WALL OPTI  F  L	TIONS U TIONS G P	V H
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS  2.4  1  2.4  1  2.4  3.0	CABIN  B  B  C  B  C  C  B  C  C  C  C  C  C	BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	B B J	C LEFT AND C C K	R  RIGHT WALL OPTI  G  RIGHT WALL OPTI  F  L	TIONS U TIONS G P	V H Q
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C. FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C. FRONT WALL OPTIONS  2.4  1  2.4  1  2.4  3.0	B B S	BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS	B B J J C R R C C C C C C C C C C C C C C C	C LEFT AND C C K	R  RIGHT WALL OPTI  G  RIGHT WALL OPTI  F  L	TIONS U TIONS G P	V H Q
TRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C.  FRONT WALL OPTIONS  2.4  1  2  2.4  3.0  3  4	B B S	BAA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS  W	B B J J C R R C C C C C C C C C C C C C C C	LEFT AND  C  LEFT AND  C  K	R  RIGHT WALL OPTI	TIONS U TIONS G P W	V H Q Q X X
TRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE OPTIONS  2.4  1  2  2.4  3.0  3  4  WHITFORD + WHITFORD  FRONT WALL OPTIONS	ABIN  B CABIN  B S RD CABIN	BAI  D  BAI	A.8W x 3.6D  CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  F  B  H  J  4.8W x 3.6D  CK WALL OPTIONS	B B J J Y	LEFT AND  C  LEFT AND  U  LEFT AND	R  PRIGHT WALL OPTI  F  L  V  PRIGHT WALL OPTI	TIONS  U  TIONS  G  P  W  TIONS	V H Q X X
FRONT WALL OPTIONS  24  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  24  1  WAIHEKE + WAIHEKE C.  FRONT WALL OPTIONS  24  1  2  24  3.0  3  4  WHITFORD + WHITFORD  FRONT WALL OPTIONS  24  1  2  24  24  24  24  24  24  24	B CABIN  B CABIN  B CABIN  B CABIN	BAA	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS  W  4.8W x 3.6D  CK WALL OPTIONS  G G	B B P P P P P P P P P P P P P P P P P P	LEFT AND  C  LEFT AND  C  LEFT AND  C  LEFT AND	R  PRIGHT WALL OPTI  F  R  RIGHT WALL OPTI  F  R  R  R  R  R  RIGHT WALL OPTI  F	TIONS  U TIONS  P W TIONS  G G G	V H G H H
TRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C.  FRONT WALL OPTIONS  2.4  1  2  2.4  3.0  3  4  WHITFORD + WHITFORD  FRONT WALL OPTIONS	ABIN  B CABIN  B S RD CABIN	BAI  D  BAI	A.8W x 3.6D  CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  F  B  H  J  4.8W x 3.6D  CK WALL OPTIONS	B B J J Y	LEFT AND  C  LEFT AND  U  LEFT AND	R  PRIGHT WALL OPTI  F  L  V  PRIGHT WALL OPTI	TIONS  U  TIONS  G  P  W  TIONS	V H Q X X
TRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C.  FRONT WALL OPTIONS  2.4  1  2  2.4  1  2  2.4  1  2  2.4  1  2  2.4  3.0  3  4	CABIN  B CABIN  B CABIN  B CABIN	BAI  BAI  BAI	CK WALL OPTIONS  R  4.0W x 2.5D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS  W  4.8W x 3.6D  CK WALL OPTIONS  G  G  G  G  G  G  G  G  G  G  G  G  G	B B R R R P Y	LEFT AND  C  LEFT AND  C  U  LEFT AND	R  PRIGHT WALL OPTI  G  PRIGHT WALL OPTI  F  PRIGHT WALL OPTI  ORIGHT WALL OPTI	TIONS  U  TIONS  G  P  W  TIONS  G  G  O  O  O  O  O  O  O  O  O  O  O	V H C C C C C C C C C C C C C C C C C C
FRONT WALL OPTIONS  2.4  1  KAIPARA + KAIPARA C.  FRONT WALL OPTIONS  2.4  1  WAIHEKE + WAIHEKE C.  FRONT WALL OPTIONS  2.4  1  2  2.4  3.0  3  4  WHITFORD + WHITFORD  FRONT WALL OPTIONS  2.4  1  2  2.4  1  2  3.0  3.0	ABIN  B CABIN  B S  RD CABIN  B H	BAA	A.8W x 3.6D  CK WALL OPTIONS  E S T  4.2W x 3.6D  CK WALL OPTIONS  W   4.8W x 3.6D  CK WALL OPTIONS  F G M N P	B B C Y	C  LEFT AND  C  LEFT AND  C  U  LEFT AND  C  K	R  PRIGHT WALL OPTI  F  RIGHT WALL OPTI  F  RIGHT WALL OPTI  RIGHT WALL OPTI	TIONS  U  TIONS  G  W  TIONS  F  P  P  P  P  P  P  P  P  P  P  P  P	V H Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q



3.0

## CHOOSE YOUR FINISH

#### You can choose any combination of shed and door colour.

With a wide range of popular cladding colours you're sure to find the perfect colour scheme.



Actual colours and designs of these sheds may vary slightly from this brochure due to print and lighting variations and ongoing product design development. For further information visit www.duratuf.co.nz

## **CHOOSE YOUR OPTIONAL UPGRADES**



## **Flooring Options**

The Ponsonby and Fendalton models can be installed on existing surfaces such as a driveway, deck, or patio. All other models require a purpose-built raised floor, as the cladding extends 30mm below the frame to prevent water entry. This can be achieved using a Duratuf Plywood or Timber Floor Kit, or by pouring a concrete pad. Note: Models over 10m2 require a structural floor that meets the NZ Building Code to be compliant.

#### **Plywood Floor Kit**

Includes cut to size 17mm H3 plywood sheets, ground treated H4 joists, treadplate roller door threshold and all required hardware.


#### **Timber Floor Kit – For Specific Models Only**

Includes cut to length thick H3.2 timber floorboards, ground treated H4 joists, treadplate roller door threshold and all required hardware. (Floorboards supplied in separate pack from main kitset)

#### Now available! Structural Timber Bases with Ply Floors.

A practical alternative to concrete, these kitsets come with engineered timber joists and bearers, designed

Availible for models: Wairarapa, Waiheke, Glenburn, Whitford, Havelock, Ardmore, Paihia, Otago, Kapiti and Oxford



#### **Building A Raised Concrete Base**

Planning to build a solid foundation for your Lifestyle shed? We've got you covered with essential specifications to help you create the ideal concrete base. Our guidelines make it simple to build a base that fits perfectly.

#### Why a Quality Concrete Base Matters

A well-prepared concrete base is crucial for supporting your Lifestyle Range shed—helping to ensure the shed is fixed down securely so it won't blow away, and even improve waterproofing.



Download the full specifications at:





The width and length of a concrete slab should be 20mm less than the nominal width and depth of your shed. Lifestyle sheds over 10m<sup>2</sup> need a compliant concrete slab: at least 100mm thick in the centre, 200mm at the edges, with damp-proofing underneath and raised above ground level.

MODEL

KAPITI

BENMORE

CROMWELL

**WAIRARAPA GLENBURN** 

**SLAB** mm 3580x 5980

4180 x 4780

5980 x 4180

5980 x 5980

7180 x 5980

#### **Concrete Slab Sizes**

MODEL	SLAB mm	MODEL	SLAB mm	MODEL	SLAB mm
PONSONBY	2380 x 980	MILFORD	3130 x 1980	OXFORD	5980 x 4780
WINDSOR	2380 x 1480	MARLBOROUGH	3130 x 3130	OTAGO	5980 x 3580
MATAKANA	2380 x 1980	KAIPARA	3980 x 2480	PAIHIA	4780 x 5980
KINLOCH	2380 x 4180	TAMAHERE	3980 x 1980	ARDMORE	4780 x 4780
FENDALTON	3130 x 980	WAIHEKE	4180 x 3580	HAVELOCK	4780 x 4180
CARDRONA	3130 x 1480	WAIMATE	4980 x 1980	WHITFORD	4780 x 3580

#### **Clear Roof Panel**

Enjoy natural daylight in your shed, with the optional clear roof panels. These panels are designed to integrate seamlessly with the steel roof sheet, and are available as an optional extra for any Lifestyle shed.



## How many Clear Roof Panels can I fit to my new shed?


PONSONBY	1	MIL	LFORD	1
WINDSOR	1	MA	RLBOROUGH	1
MATAKANA	1	KAI	IPARA	2
KINLOCH	1	TAN	MAHERE	2
FENDALTON	1	WA	AIHEKE	2
CARDRONA	1	WA	AIMATE	3

OXFORD	9
OTAGO	3
PAIHIA	3
ARDMORE	3
HAVELOCK	3
WHITFORD	3

WAIRARAPA	2
GLENBURN	2
KAPITI	3
BENMORE	3
CROMWELL	4

#### **Optional Extra Height**

Lifestyle Sheds already offer generous wall height, but sometimes a little extra can make all the difference. With our optional 390mm wall height upgrade, you'll gain more room to move and improved storage capacity. It's perfect for taller items such as vehicles, as it adds an additional 384mm to the roller door height.





<sup>\*</sup> Flaxpod is a registered trademark of NZ Steel.

<sup>\*</sup> Shed only: A roller door cannot be supplied in this specific colour option.

<sup>\*</sup> Clear roof panels can be ordered in any quantity, with a maximum limit as specified.





### **Very High Wind Upgrade Kit**

Built with safety, strength, and durability in mind, the Lifestyle shed range has a timber-reinforced heavy-duty construction, engineered to NZS 3604 High Wind Zone specification. The Lifestyle shed can withstand most of Mother Nature's wear and tear, but for those Very High Wind Zone areas, we offer a NZS 3604 Very High Wind Zone shed upgrade kit for Lifestyle sheds, Cabins and Workshops. For more information regarding wind zones, visit the Branz website:

https://www.branz.co.nz/branz-maps-zones/

#### **Snow Load Upgrade Kit**

Live in New Zealand's high country where snowfalls are regular? We have you covered with a NZS 3604 standard 1 kPa engineered load rating on all our Lifestyle sheds over 10 square metres. However, for those higher elevation areas with severe snow, the Snow Load Upgrade Kit is a perfect addition to your Lifestyle shed, with a 2kPa upgrade Snow Load kit option to suit NZS 3604 standards, reinforcing the sheds inner roof structure.

For a NZ snow load map visit: https://www.level.org.nz/fileadmin/ downloads/Site\_Analysis/Snow\_Zones\_Map.pdf



## 5. ADD YOUR ACCESSORIES











## **Automatic Door**

Access your Lifestyle shed at the click of a button with the remote controlled automatic door kit. A popular addition for those wanting complete convenience.

You will need power supplied

## **Shed Alarm**

- Ultra loud 130db alarm.
- 60 degree infrared beam detects movement up to 6 metres away.
- Easy to program 4 digit code.
- Uses 4 x AA Batteries (not included).

#### **Heavy Duty** Workbench

Lock together construction with MDF shelves.

1.14m W x 0.50m D x 0.90m H  $\,$  0.90m W x 0.40m D x 1.80m H

#### **5 Tier Shelf Unit**

Bolt free interlocking kitset frame with MDF shelves and 350kg load rating.

to the shed.

Opener

## **Assembly Options**

Lifestyle sheds are a great project for a competent DIYer, otherwise we recommend hiring a builder or an assembly service. Visit Duratuf.co.nz to view our recommended assemblers.

#### **Tools Required**









Drill bit



























Hand Saw Caulking Gun Tin Snips Flat File



#### **Kitset Pack**

Lifestyle sheds are delivered in a crate as a ready to build kitset and come with comprehensive assembly instructions.

If ordered with a Timber Floor Kit, it will be packaged separately.







Customer Helpline (weekdays)

Call 0800 GET A SHED | 0800 438 274

Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204

